

SH

35

.N8W7

184







SH 35  
.N8 W7  
Copy 1

7

MAR  
2  
1879

---

FISH CULTURE  
IN  
NORTH CAROLINA.

---

*Stephen S. Worth.*

34,941

a. F. S. March 4  
SH35  
N8 W7

## PREFACE.

---

In presenting the report of S. G. Worth I call attention to section 7 of the Act creating the Department of Agriculture which charges the Board especially "With the supervision of all measures for the protection, propagation and culture of fish in the rivers and other inland waters of this State, and to this end they shall *at once* provide for stocking all available waters of the State with the most approved breeds of fishes." Though this Act was not ratified till as late as the 12th day of March, 1877, the services of an expert were secured and a corps of young men of this State as assistants were stationed on Neuse river and the hatching of shad began. Prevailing freshets and diminutive run of shad interfered with full success of the work.

Since that very great success has been attained not only in the propagation of shad but also in the propagation and introduction of California salmon, land-locked salmon and brook trout. For the propagation of the latter varieties a cheap hatchery was built at Swannanoa Gap in Buncombe county, and two seasons of winter work have been completed. The results are embodied in the accompanying report.

Commencing only two years ago without a shad box, distributing can, or the least preparation of the necessary apparatus used in fish culture, or without a man in the State who knew the principles of the work, the people of the State may congratulate themselves on what has been attained.

I would especially note here that every effort has been officially made to prevail upon the authorities of the State of South Carolina to enjoin upon their Legislature to enact co-operative laws that our people might secure a partial benefit from the fish of streams running from this State into that. I regret to say that not the first response has ever been made. The salmon

being more perfectly adapted to the Yadkin, Catawba, Broad and Green, over 300,000 have been placed in those waters. Without laws prohibiting permanent obstructions and a wholesale destruction of the fish south of our State line, it will be necessary to discontinue the release of more fish in those streams.

It would not only be foolish to pursue our operations there, but unfair and unjust. It would be a repetition of the abuses on the Connecticut river where money was expended by New Hampshire, Vermont and Massachusetts and the shad increased seven times their former number, while the people of Connecticut on the lower waters reaped almost the entire benefits. In the laws of Virginia they will make an exception of such streams as run into our State unless we remove the obstructions. They will place no fish into streams running into this State unless obstructions to the passage of fish are removed and fish-ways or other means of crossing dams provided. So I am informed by the Fish Commissioner of that State.

If proper laws are not enacted by our Legislature toward the protection of fish it will not and shall not be the fault of the Board under which I act. In my recent report to the General Assembly which received the unanimous approval and recommendation of the Board, I entered into the details and offered such recommendations as seem to embrace all the requirements to subserve the wants of the people of the State in this interest. The operations of the last two years have demonstrated the entire practicability of filling to its utmost capacity every stream in the State. One per cent. of the salmon released in this State are worth more than our entire out-lay has been, and one per cent. of the shad released at twenty-five cents apiece would bring over nine thousand dollars. From one end of this State to the other streams cover its face like a net-work, evincing the fact that the fishing interests can be made one of our greatest industries. Successful demonstration proves that one acre of water in New York State is more productive than several acres of land, hence any future policy in our governmental affairs which fails to take hold of our natural advantages and restore their

productiveness will fall short of the progressive strides of the day.

Without depending on the uncertain aid of foreign experts whose time is elsewhere in demand, we have trained young men who were born and raised here in our own State who are fitted for doing all the work within our own borders.

We need friendly and fostering legislation and with the recommendations before them it remains for the General Assembly now in session to act.

L. L. POLK,  
*Commissioner of Agriculture.*



## REPORT.

---

HON. L. L. POLK :

SIR:—In accordance with your request I submit below the operations in Fish Culture in North Carolina since April 1st, 1878. My immediate presence in the execution of all the work done since that date, has given me the advantage of innumerable facts which bear directly on the future of this work. But I have written to you frequently as new points developed, and in numerous conversations have so fully set forth the needs and requirements that were pressing, that I will not attempt to enter all of the details in this report. This art is so new that very few among us have had an opportunity of looking into it sufficiently to know its requirements or to pass judgement on past operations. Hence, I infer, is due the honor your honorable Board has bestowed on me in leaving the execution and the details of the work entirely in my hands. During the past twelve months, ending the 1st of April 1879, we have released in the North Carolina waters over three and one-half millions of young shad, three hundred thousand California Salmon, fifteen thousand five hundred Land-locked Salmon from Maine, and fifty thousand Mountain or Brook Trout. All of this was done at an expense of less than three thousand dollars, and among the expenditures was a sum of not less than five hundred dollars in permanent structures and hatching and distributing apparatus, tools, &c., now on hand, including all salaries. This sum when compared with results will bear favorable comparison with similar work done any where on the globe. To convey an idea of the immense returns in fish culture, I will make a statement which may surprise you. California Salmon attain an average weight of 20 pounds, and sell readily at twenty-five cents a pound. If we suppose that *ninety-nine* per cent of the three hundred thousand hatched this season are never heard from and

that the *one* per cent which do return attain the average weight of other waters and bring a price of *five cents* a pound, the Salmon of the past season *alone* will more than pay the expense of the whole season, including the Shad, Land-locked Salmon and Trout. The immense losses in the eggs and fry of fish seems to have been a great foresight of nature in giving to them the greatest *ova*-bearing powers of any of the vertebrate animals. A 40-pound Salmon produces 30,000 eggs annually; the Yellow Perch (Raccoon Perch or Red-fin Trout) 20,000 to 30,000; White fish of the Great Lakes 60,000 to 70,000; Shad 30,000; Carp over 300,000; Mackerel over 500,000; Turbot and Cod about 9,000,000; Sturgeon 7,000,000, and a species of Mullet 13,000,000! These figures are from scientists and fish-culturists, and an annual value of the fish-catch of the world, amounting to \$120,000,000, will convey some idea of the millions and millions of eggs annually produced from a mass of fish aggregating so many millions of dollars. On examination of the nests of the California Salmon it is found that only *eight* per cent of the eggs are impregnated. By the artificial method of impregnation we secure *ninety* to *ninety-five* per cent! After impregnation by the natural method the eggs are left a prey to enemies of innumerable numbers. Shad eggs are exposed three to five days, and our common pond fishes twenty to thirty, and the Salmon fifty to seventy. After hatching, these fish are helpless, some a few days, (shad a week) some for months as in the case of Salmon, Mountain Trout and fall-spawning fish generally. By the artificial methods they are not only almost entirely impregnated, but they are kept in cones, troughs and other vessels, and each day the dead removed and further communication of fungoid growth stopped. And when the young are ready to go out they are conveyed to *head streams*, where other fish are scarce and where cold water suppresses the numerous hosts of insects and crustaceans that abound in the lower and warmer waters. We can see readily, that *few* arrive at maturity, when we recall that one single sturgeon produces seven million eggs and that a number *less than ten thousand* are taken annually in the Cape Fear. Few realize the value of fish, but a moment of reflection will show that they cost us nothing, and that by replacing them in

the waters by aiding their imperfect efforts we restore to our land at a nominal cost its millions of wealth that our streams annually bear away to the ocean. Who knows the value of the constituents of our gliding rivers, and by what means can we reclaim it? By the judicious expenditure of a few thousand dollars annually we can attain it. If our people look this year for any return from what has been done, they must remember that the patient farmer sows his seed and waits till they have had time to develop and mature. No shad return in one year, and indeed no roe shad ever returned to fresh water till the third year.

Long ago fish became scarce as the population of Europe increased and fish culture there is an *established* thing. Millions of fry are annually liberated from their hatching houses, and such judicious laws have been made as to foster and protect them. In Great Britain a river yielding in 1853 less than 2,000 Salmon was made to produce in 1866 upwards of 20,000. The Tay then leasing for \$43,500 came up in 1866 to \$75,000; and in Ireland in 1866 one thousand tons of Salmon were transported against almost none ten years previous. In the United States we find shad now flourishing in the Sacramento river in California, where they were unknown till placed there in 1871. The first results seen on the Connecticut from artificial propagation of shad increased the usual catch *seven fold*. Twenty-five thousand shad were taken in one locality one morning and the Northern markets were overstocked and the price of eighteen dollars per hundred reduced to three! In that river the Salmon had entirely disappeared, but in 1872-'73 fry were introduced and since that time sufficient numbers of 12 to 18 pounds weight have returned to justify increased operations. The fruits of past work are also being seen on the Delaware, Susquehanna and all other streams where the fish have had time to mature and return. On the Merrimack a dam of 25 feet height completely cut off the passage of Salmon to their spawning grounds, and for thirty years not *one* was seen, but by introducing the fry from other streams they have found that upwards of

one thousand went over the fishway on the same dam in the first year of their return.

Propagation by the artificial method is an outgrowth of necessity. A hundred years ago every stream from the St. Johns to the St. Lawrence teemed with its thousands of shad. To-day they have become so scarce that we are compelled to resort to the largest fisheries in the land to obtain enough spawn to make our work profitable. In the absence of any data relative to the run of shad in our own waters in former days, I will state that the catch of shad on the Potomac in 1835 was 22 500,000, which contrasts severely with any season approaching the present. The alarming decrease in numbers of fish, when brought before the Congress of the United States and fully impressed, at once led to the creation of a commission for the purpose of enquiring into their decrease, and for the institution of measures for their increase and protection; hence originated the United State Commission of Fish and Fisheries which has been the great motive power and educator in this branch ever since. Twenty-seven States are now actively engaged in restocking their waters, and I am glad to say that with limited means we have made a very decided beginning in North Carolina in two short years. With the finest shad fishing grounds in the world, and many secluded mountain streams yet full of trout we are fully capable of supplying every county in the State with as many fish as the people can consume. In view of the fact that the shad caught in our waters sell in northern markets before the run of fish has extended into their streams, and since our sales there bring double the price of theirs by supplying the early demand, it is very plain to be seen that in restocking our sounds and rivers to ten times their present capacity, we can supply every demand at home and bring into our State thousands of dollars from abroad. As the truck-farms of the south are annually reducing the value of like products on those further north, in supplying the ready demand for early vegetables and fruits, so will the fisheries of Albemarle sound and other waters, in like manner reap large cash sums of money from northern markets if the millions of eggs now an-

nually wasted on the sein beaches, are only hatched and cared for.

The taking and hatching of the many millions of eggs by the United States Commission last season, was simply saving the millions, not one of which would otherwise have produced a fish,

#### SHAD.

Early in April, in compliance with instructions from you, I repaired to the Albemarle Sound, with a few assistants to work in conjunction with the United States Fish Commission, that of the State of Maryland and that of Virginia. The gathering of ova which requires a special out-fit in the way of a steam launch and a number of small boats and an efficient working force of ten to twenty men, and the *hatching* of the ova involving a great variety of equipments and a good working force to operate, were conducted entirely under the auspices of the United States Government and the State of Maryland.

The United States Deputy Commissioner, executing the work, having an active force of distributing messengers at command hurriedly pushed all shipments possible, to the more southern States. He doing general Government work in which the whole country is alike interested, manifestly did his duty in making an extended outlay of several millions of shad while the weather was yet cool. At length when the shad commenced spawning in great numbers the young fry accumulated faster than the United States Messengers could get them away and then we were granted the right to take into the interior of the State all we could. But, young shad, after ten days of age, require food, and cannot be safely carried, and further than this, forty-two hours had to be consumed in making a round trip to Franklin Virginia, on each shipment—only seventy-five miles distant. Hence it followed, that the great bulk of fish on hand had necessarily to be consigned to immediate waters. To get a larger number into more suitable points of release will require a standing force of not less than ten men who shall be

stationed at or near the hatchery ready at the proper moment to move half a million at a single dash. I do not call into question the wisdom of your Honorable Board in limiting the amount of expenditures on the coming spring operations; yet in view of not being able to determine the particular time at which shad begin to spawn. *First*, it is necessary to station a force on the sound early enough to loose nothing. *Second*, since we get fry for our streams only at intervals when the United States men cannot move them and when rapid execution is necessary, a smaller force than ten men would be of little efficient service. *Third*, this work requires character, intelligence and willingness to undergo work full of hardship and exposure to weather, and such material, ought at least to have a *reasonable* compensation; and while we placed into North Carolina waters nearly four million shad at a nominal cost compared with the benefits to follow, and while we will promptly carry out the designs of your Honorable Board in like manner in the work immediately before us, it is yet a serious matter of regret that we are obliged to look calmly on at the operations of the United States work and see annually *ten to twenty million* shad fry shipped out of North Carolina to replete the water of *other* States, when for two thousand dollars economically applied every one of these could be turned into the fine headwaters of our *own* streams. No State in the world has a better showing to *kill* all its streams, than this State has from the immense fisheries on the Albemarle Sound. A beginning has there been made in permanent hatching structures, by the erection of a tank of the very best quality with cones for hatching the eggs.

#### MOUNTAIN OR BROOK TROUT.

After earnest entreaty on my part, it was agreed last June that I should be allowed to collect as cheaply as possible some of our fine brook trout—yet abundant in our most retired western streams for spawn taking purposes. Accordingly I spent several weeks in some of the wildest mountain gorges of the State. In the more settled portions they have become scarce and some of

the finest procured were carried from the headwaters of Tow river at the base of Mitchell's peak directly up the side of the Blue Ridge within three hundred yards of the Pinnacle. I was accompanied by a small party and we relieved each other by turns. These fish we carried on our shoulders four miles up the Ridge and three miles down accomplishing a trip in ten hours and thirty minutes. On an average the water was renewed every seven minutes and when it is remembered that we had to wade the streams and follow a course that only men reared in those mountains could follow, it may well be realized that in conjunction with the highest summer heat ever known there, that the undertaking was of a severe nature.

Owing to the streams being "fished out" at so late a season as July 3rd and fish being scarce, and the high summer heat and slow transit over the rocky and in many places nearly impassable roads, I could not get any vast number, and of those I did get, many were lost through the last mentioned agencies. I secured over 2000 fish, but from deaths from various causes, including injuries in the brain from the hook, they only numbered 1400 in September. Since then the deaths have ceased. For the purpose of sorting these I built three cheap ponds for their accommodation. I began to take ova from these on the 29th day of October at the Salmon Hatchery at Swannanoa Gap. I took but ten thousand, when the fish became so wild that they would no longer enter the spawning races, and I was obliged to stop. It was not advisable to net them owing to the fact that the Salmon from California were hatched in the house below, and I deemed it unsafe to stir up the bottom and send down an epidemic—producing volume of impure gases which had formed from waste meats in feeding the trout previously. I do not know what number were left in the trout but probably sixty thousand. Young trout have just hatched from those eggs. Besides these the 50,000 trout eggs ordered from New Hampshire are now hatched, save 10,000 which became solidly frozen up in the cold weather from January 2nd to 8th. They are yet on hand at the Hatchery at Swannanoa Gap, being too young to go into the streams.

With the knowledge attained this season, which was my first experience with trout, and with care and feeding the trout through the spring and summer and increasing their size, at least 200,000 eggs can be taken from them next fall, while the salmon are being hatched. If we were to purchase this number from the north they would not cost less than six hundred dollars. Farther than this the trout in the ponds will produce a greater number of eggs each season. Our hatching house building is of the most inferior quality, but was constructed for experimental work and has answered all purposes so far; but as nothing but running *branch* water is used, its temperature is so reduced in cold weather as to freeze solid in troughs, house and ponds without incessant labor night and day while the cold spells prevail. The troughs, reservoir and supply troughs are common and leaky and the ice formed eighteen inches thick on our entire floor, even encroaching on our office, freezing six inches thick and remaining a *month* in the bunks made for our sleeping accommodation, and within four feet of a stove in which a fire burned night and day for weeks. I respectfully recommend that we may have a new building and at a point at which we may get spring water and be near enough a market to buy necessary articles without having to pay double their value to get them to us; also where we can get fish food regularly and cheaply. At an elevation of 2600 feet we may reasonably look for cold weather every winter, and the house cannot be carried safely through another winter of equal severity with the present.

#### CALIFORNIA SALMON.

On the 8th of Oct. 1878, 315,000 California salmon eggs reached Henry's and I commenced the regular winter season with Mr. C. J. Huske, of Fayetteville, assisting. On the 9th of October an additional number of 52,500 of the same eggs came, making a total of 367,500. These eggs were allotted to North Carolina by Prof. S. F. Baird, Commissioner of Fish and Fisheries of the United States. They are taken annually to the number of five to seven millions on the McCloud river, California, under in-

structions from Prof. Baird. His idea has been that this salmon will ascend our warm Southern streams, and the eggs coming from the general fund cost us nothing but express charges. Last season over two hundred and thirty thousand were turned loose in our waters and although this season one crate of 52,500 were almost a total loss from over-heating while en route, the rest turned out in a most gratifying manner and we released upwards of 300,000. In the hatching ponds at Swannanoa Gap I have eight of those hatched last fall, and many were seen last summer in the streams in which they had been released. They are six inches long and much more active than the mountain trout. I am reliably informed that a few of this same variety placed into Dr. D. W. C. Benbow's pond, near Greensboro, in the fall—winter of 1875, measured at two years of age nineteen inches in length. At that time they had been in fresh water six months longer than nature provides, and demonstrated their power to live even in as warm water as our midland streams afford.

On reference to the report of the Commissioner of Fisheries of California, of 1877, it will be found that this species has been converted into a fresh water fish when effectually cut off from the lower waters, but I am rather inclined to believe it would do so in our waters in pure, clear mountain streams only. Thus changed they attained a weight of as much as ten pounds. As before stated the California salmon attains naturally an average weight of twenty pounds. The larger ones attain forty, sixty and sometimes seventy pounds. The young remain in fresh water about eighteen months and then pass down to the sea. Here they remain till grown when they return in the fall months to spawn. A large number have been seen in Atlantic rivers already, and if their introduction proves a complete success we will have at our doors the finest fish in the world. Why it shall not live here I cannot see. Full three fourths of the plants, cereals, vegetables and grasses on which man and other animals live are *imported*. There is a vast revenue derived from salmon on rivers where they have not been recklessly destroyed. The salmon of the Columbia river, Oregon, are yet abundant and furnished a few seasons back in amounts, *canned*, thirteen mil-

lion pounds. I earnestly desire that every measure may be taken by your honorable Board to protect those now in our streams, and to allow us to continue the hatching and distributing of this valuable species each succeeding year. The number of this variety placed in our waters in the winter season of 1877-'78 were two hundred and thirty-four thousand. They were hatched at the Swannanoa hatchery by Mr. W. F. Page, of Virginia, who superintended that, our first season in salmon.

#### LAND-LOCKED SALMON.

The fifteen thousand five hundred salmon of this name were brought from the Maryland State hatchery the first week in April last. They had been hatched at the Druid Hill Hatchery under the supervision of Maj. T. B. Ferguson. Those who know the excellent flavor and qualities of this and the California salmon, will appreciate the character and importance of the task we have undertaken. The land-locked salmon is not migratory in its habits, but remains exclusively in fresh, clear and cold waters. They attain a weight of several pounds and take both the baited hook and artificial flies. For the head streams of our rivers taking rise west of Greensboro this fish seems entirely adapted, and I respectfully recommend that more attention be given it in our future operations. They can be hatched simultaneously with the California salmon and mountain trout.

#### FISH THAT OUGHT TO BE FOSTERED.

I would respectfully call attention to the importance of rock fish and sturgeon. These are native fish and can be made of immense value in the streams of this State.

It may not be generally known that the rock fish remains in our streams half of the year, they ascend in the fall and remain till the shad season is past. From what I learn there is no doubt that their spawn can be obtained in abundance on the Roanoke river near Weldon. The immense number of eggs found in sturgeon leads to a positive assurance that we could

increase them to an almost unlimited extent. I do not profess any keen relish for them as food, but I have noticed that at the most successful fisheries in the State, they always were taken off and sold or eaten on the beach. They subsist by suction, living on decayed matter, animal and vegetable, and could exist by thousands above the present number and not only find an *abundance* of food but would consume that which would not otherwise be utilized. There are some who regard sturgeon as a good article of food and others pronounce it a delicacy. I am very positive that no article of food is more wholesome and the oil from them is always utilized and sells for a price that is always sufficient to insure its being boiled out. In my opinion it can be made of equal value with any other fish in our waters.

Under this head I will here state that the people of this commonwealth are making so many urgent requests for fish for private ponds, that it becomes my duty to call the fact to the attention of your Board. Acting under the requirements of the present law, creating and setting forth the operations of this part of your Department, it has been conceived to be right, to handle only such fish as were of greatest commercial value and of greatest importance to the people at large. That we should not be enabled to aid in perfecting the efforts of individuals, who have recently become enlivened to the the importance of enriching their waters, is a matter of regret. Parties all over the State have built ponds for this purpose and others who have fine sheets of water are constantly making application. In view of the fact that many of the percoid family of fishes already in our waters, are of fine flavor and respectable size, and could with a moderate sum be propagated at a hatchery in some eastern or midland county with very great success, I take the liberty of calling the matter up, hoping that it may receive your commendation and that of the people, so that when the next General Assembly convenes we may have our field enlarged and our labors made profitable in almost every township throughout the State.

IS THE INTERIOR OF THE STATE ENTITLED TO THE RESULTS OF  
THIS WORK ?

In answer to this it may be emphatically said that without our streams are opened to their sources, and all obstructions to the passage and destruction of fish removed, they cannot receive, except in an indirect way any benefit from what we are doing. To those who occupy the large fisheries in the sounds and lower rivers and reap the "Harvest of the Sea" by hundreds of thousands, this question is of *greater* importance. The decrease, now so alarmingly apparant is due, more to the obstructions above than to any other cause. Shad and sturgeon formerly ascended the Catawba and Yadkin almost to their head waters. Nature directed them to the pure clear water, where on gravelly bottoms the eggs would successfully hatch and escape the myriads of enemies below. By man's agency they have been cut off and the result is sadly felt. A general law requiring all owners of dams to build a sluice-way over each, after a pattern prescribed by your board is our only hope. Such a model as you suggest can be made to answer the offices of its design. Existing laws regulating the construction of fish ways cannot be carried into execution, and equity preserved. It should be the duty of one individual to supervise the construction of each way, that experience in the details may conduce to economy in their construction and that the water powers may suffer no injury. In an act requiring the above, there should be also the requirement that these ways should be kept open from February 1st to June 1st, and at all other times when water is sufficient to allow it. I would respectfully call your attention to the fish way recently invented by Col. M. McDonald Fish Commissioner of Virginia. It is an unquestionable success, and this, many have sought after and utterly failed in. As fish naturally go down stream into deeper waters as winter approaches, the constant and never-ceasing tendency is to leave above each succeeding year the puny offspring of fast-growing inferior ancestry.

The dams stand as barriers and destroyers and if the remedy is not applied our annual supply will necessarily be on the

diminishing scale. The importance of this measure bears on every inhabitant of the State and cannot be too urgently pressed. The labors of this work are for the people and unless the dams are deprived of their objectionable feature they will be denied that, which we cannot with our powers afford them. Co-operative laws in South Carolina must be obtained or the inhabitants of the upper waters of the Yadkin, Catawba, Broad and Green Rivers will never reap the treasures of those streams. Unless the laws of that State regulating fishing and the removal of obstructions are enacted before the results of our work have become an object, we will never secure them. Over *three hundred thousand* California salmon have been released in waters running through that State. It would be a pity to lose all of them. With such laws and enough funds to run our work on a legitimate basis we will fill every stream in the State. No State can boast finer waters, besides the Chowan, Nottoway, Tar, Neuse, Cape Fear, Yadkin and Catawba, smaller streams fill up all the gaps between, and inlets and sounds indent a coast line for hundreds of miles. Go to the Linville, John's, Swannanoa, Tuckaseege, Nantihala, Pacolet, Green and Broad and you find waters as pure, clear and limpid as the world affords. We have now the skill and appliances to restore them to their former abundance.

In conclusion I will ask you to secure if possible a law preventing the use of explosives in the capture and destruction of fish in North Carolina waters ; also to prevent the destruction of any of the salmon we have introduced into our waters, making not the capture but *possession* the offence. The reasons for protecting them are manifest.

Below will be found a table showing what disposition we have made of the fish released in the waters of this State. It includes some work of the United States Fish Commission, and of Mr. Frank N. Clark and W. F. Page who had charge of the work during the first two seasons.

I would call to your special attention the earnest and faithful labors of Chas. J. Huske, Wm. M. Russ and Thomas Taylor who have shown character, willingness and determination while aiding in the prosecution of our work.

Special acknowledgments are due to the friends of our department at Henry's and the Swannanoa Gap without whose cheerful assistance we would not only have been constantly in many difficulties (which there were numberless) but to them is also due the preservation of half our salmon during the freezing weather in January. Thanks are also due to Maj. J. W. Wilson, President of the Western North Carolina railroad and to all the officers along the line whose effective aid will be remembered. Also to the officials of the Charlotte & Atlanta Air Line and of the Spartanburg & Asheville railroad and to Mr. Frank Coxe of Charlotte. Also to officials of the Raleigh & Gaston railroad and of the Wilmington & Weldon railroad, and to the gentlemen controlling the steamers of the Albemarle Steam Navigation Company, and to the various railroad officials throughout the State. In almost every locality into which our operations have taken us we have met with cordial and enthusiastic support from citizens of all classes.

To Dr. W. R. Caphart is due much of our success on the Albemarle Sound. His efforts to concentrate operations at his fisheries were supported by his untiring efforts to make our work a success.

I am respectfully yours,

S. G. WORTH.

# APPENDIX.

## DISTRIBUTION OF FRY.

### SHAD.\*

Prior to the establishment of this department, the United States Fish Commission distributed to our waters, as follows :

May, 1873, Neuse River, . . . . .	43,000
May, 1876, Neuse River, . . . . .	98,000
June, 1876, Catawba River, . . . . .	72,000

### SEASON OF 1877-'78.

Neuse River, May, 1877, . . . . .	134,000
Yadkin River, July, " . . . . .	73,000
Haw " " " . . . . .	70,000
Catawba " " " . . . . .	67,000
Contentnea Creek, July, 1877. . . . .	52,000
Tar River, July, 1877, . . . . .	50,000
Nottoway River, April 11th, 1878, . . . . .	111,000
Roanoke " " " " . . . . .	139,000
Neuse " " 12th, " . . . . .	100,000
Meherrin " " " " . . . . .	150,000
Salmon Creek, " 15th, " . . . . .	120,000

---

\* The seemingly undue proportion released in the vicinity of Ayoca was unavoidable. The young fry had to be transported a distance of about eighty miles by water to reach a railroad, and it employed the time of the messengers, day and night, to keep the hatcheries clear. The run and catch of the spawners was affected greatly by the state of the weather. A heavy catch, especially towards the close of the season, would sometimes occur when the boxes and apparatus were employed to their fullest capacity, and if the steamboats and messengers were not at hand, the fry had to be released to make room for the new supply of eggs.

Neuse River,	April 20th, 1878,	50,000
Tar	“ “ 22d, “	100,000
Salmon Creek,	“ 24th,	800,000
“ “	“ 25th, “	200,000
Chowan River,	“ 25th, “	200,000
Albemarle Sound,	“ 25th, “	115,000
Roanoke River,	“ 26th, “	250,000
Salmon Creek,	“ 26th, “	25,000
Albemarle Sound,	“ 26th, “	70,000
† Six Runs, N. E. Cape Fear,	April 26th, 1878	100,000
† Goshen Creek, N. F. Cape Fear,	April 26th, 1878,	100,000
Salmon	“ April 28th, 1878,	300,000
“ “	“ 29th, “	18,000
“ “	“ 30th, “	45,000
Tar River,	May 2d,	150,000
Yadkin River,	June 8th,	50,000
Catawba River,	June 10th,	50,000

---

Making a total of . . . . . 3,402,000

CALIFORNIA SALMON—WINTER OF 1877-'78. a

Dec., 1877—Yadkin River,	60,000
“ “ Pigeon “	10,000
“ “ Broad “	25,000
“ “ Swannanoa “	27,000
Jan., 1878—Cape Fear “	20,000
“ “ Linville “	12,000
“ “ John's “	30,000
“ “ Catawba “	50,000
Total;	234,000

---

† The only accessible points of release.

## CALIFORNIA SALMON—WINTER OF 1878-'79.

To Green River, on the S. & A. Railroad,	30,000
“ Broad “ at the mouth of Reedy Patch Creek,	45,000
“ Linville “ near Bridgewater,	30,000
“ John’s “ 12 miles from Morganton,	30,000
“ Yadkin “ at Patterson’s,	60,000
“ Deep “ at Jamestown,	65,000
“ Town Creek, at Germanton,	20,000
“ Dan River, near Danbury,	20,000
Total,	300,000

## LAND-LOCKED SALMON—APRIL 5TH, 1878.

April, 1878—John’s River,	1,000
“ “ Linville “	4,400
“ “ Mayo “	3,000
“ “ Dan “	3,000
Ponds near Charlotte.	500
“ “ Greensboro,	2,000
“ “ Morganton,	600
“ “ Salisbury,	1,000
Total,	15,500

NOTES ON THE CONSTRUCTION OF PRIVATE FISH  
PONDS.

HON. L. L. POLK:

*Sir*:—In obedience to your request to furnish some practical hints about the construction and management of private fish ponds I will make a few brief suggestions. The numerous letters you have received show a general interest throughout the State, but this is especially the case in the middle section.

When popular opinion becomes stronger in favor of fish cul-

cule, better facilities will be offered for the attainment of improved breeds for stocking ponds. At present it is not only impracticable to obtain suitable fry for this purpose, but there are very few who know how to undertake stocking with native fish. The conditions to be preserved are these:

Dams that will stand.

Small areas of water.

Introduction of limited varieties of fish.

Ability at all times to draw off the water.

Preparation of gravelly places for spawning.

Introduction of water plants.

Protection.

Drive wooden piling to build the dam on and make a waste-way sufficient to carry all surplus water. Protect the waste-way with wire netting. In most instances it does not matter if the bottom of the pond is muddy and especially in the case of bream and blue perch. All the banks several feet out from the water's edge and foot under the water should be scraped clean to the sand with a hoe to dislodge crawfish, terrapins, and snakes. For ordinary purposes small ponds are preferable. Where one or a number of these can be arranged on clear sandy streams a single variety may be introduced into each and the young annually removed to larger ponds. The great loss in fish is in the eggs. A single variety in a small  $\frac{1}{4}$  of an acre pond can increase and avoid depredations of other fish. Our native perch deposit twenty to thirty thousand eggs. No effectual means of exterminating the jack fish can be used, except the careful and thorough preparation of [a flood gate of medium size, protected over the face of out-flow with wire cloth. Every two years the water should be lowered and the fish sorted out, and jack fish and pike removed. I believe jack fish eggs are carried by some mechanical means into various waters, as perhaps by clinging to the feet of water-fowl.

Gravel or sand beds in the shallow water near the inlet will afford natural spawning grounds. If not present it should be put there.

Water plants afford numberless insects and should be intro-

duced from neighboring places. They are well known and easily obtained.

King-fishers, herrons and other birds will only be kept away by locating in a frequented place.

The black perch is found on the Yadkin, Catawba and other western streams and will make a success in ponds. Also the large trout, chub, or green bass will pay. In the middle and lower sections the white perch, is generally present in the main streams. Wherever it is found in ponds it attains a size of one to two pounds. In the lower portion of the State I would unhesitatingly recommend this and the bream and blue perch above all others. Any of these are excellent as food and have firm flesh. Many other fine perch are susceptible of cultivation and can be raised in ponds with slight attention. A pond on the plantation of Mr. Rowell near Wilmington contains a very surprising number of fish in a very limited space. There are eleven varieties in the pond or there would be a greater number. He gives them a few grass-hoppers, about once a week, and the one-eighth acre in the pond would furnish a considerable family the year round. The young fish are at times removed to his mill pond.

Willow trees or others that attract insects should be planted near fish ponds.

No better food than caterpillars can be found. All the perch and chub are fond of mulberries—the cheapness of which renders them important.

Three or four small ponds are greatly preferred to one large one.

In introducing fish into a pond to answer as food for larger ones the smaller varieties of perch are to be preferred.

There is no work which treats fully on this subject, but my own knowledge of what has been accomplished in this way shows that fish of any variety placed into a pond and not entirely neglected will prove a source of pleasure and profit.

Large fish cannot be carried safely without using very large buckets or barrels and by applying changes of water. In carrying them in warm weather frequent changes are necessary, but sudden changes of temperature must be avoided. When a



0 002 858 156 7

( 26 )

change is made, it is better to remove only a portion of the water and make changes oftener. With care they can be carried a number of hours without material loss.

Yours respectfully,

S. G. WORTH.







LIBRARY OF CONGRESS



0 002 858 156 7



Hollinger Corp.  
pH 8.5